L Number	Hits	Search Text	DB	Time stamp
-	132	(dns (domain adj name adj (server system))) and (configuration near4 table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/02 09:40
-	357	rdns (revers$4 adj3 domain adj name adj (server system))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/02 10:03
-	4	(revers$4 adj3 domain adj name adj (server system))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/02 10:04
-	366	address$4 and (nam$4 adj2 (look lookup look-up))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 09:41
-	100	address$4 same (nam$4 adj2 (look lookup look-up))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/02 15:39
-	31	(configuration near4 table) and (database and (mib (management adj informaiotn adj base))) and ((mac (media adj access adj control)) near10 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/02 15:37
-	6	(address$4 same (nam$4 adj2 (look lookup look-up))) and (address$4 near10 conver$6 near10 nam$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/02 15:40
-	3	(address$4 same (nam$4 adj2 (look lookup look-up))) and (address$4 near10 conver$6 near10 nam$4) and (sourc$4 near10 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/02 15:40
-	241	(address$4 near10 conver$6) adj10 nam$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/02 15:44
-	48	(dns (domain adj name adj (server system)) (domain near3 nam$4)) and ((address$4 near10 conver$6) adj10 nam$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/02 16:55
-	104	(dns (domain adj name adj (server system))) and (((configuration address$4 rout$4) near4 table) same (sourc$4 near10 address$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/02 16:42
-	100	(dns (domain adj name adj system)) and (((configuration address$4 rout$4) near4 table) same (sourc$4 near10 address$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/02 16:44
-	57	(dns (domain adj name adj system)) and (((address$4) near4 table) same (sourc$4 near10 address$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/02 16:45
-	15	x.121 and ((stor$4 sav$4) same address$4) and ((configuration address$4 rout$4) near4 table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 08:43
-	11	x.121 and ((stor$4 sav$4) same address$4) and ((configuration address$4 rout$4) near4 table) and nam$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 09:04
-	5	x.121 and (nam$4 same (stor$4 sav$4) same address$4) and ((configuration address$4 rout$4) near4 table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 08:46

-	6	(x.121 and ((stor$4 sav$4) same address$4) and ((configuration address$4 rout$4) near4 table) and nam$4) not (x.121 and (nam$4 same (stor$4 sav$4) same address$4) and ((configuration address$4 rout$4) near4 table))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 09:04
-	9	(address$4 and wildcard) and ((mac (media adj access adj control)) near10 address$4) and ((nam$4 address$4) same (stor$4 sav$4) same table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 09:49
-	91	((mac (media adj access adj control)) near10 address$4) and ((nam$4) same (stor$4 sav$4) same table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 09:49
-	8	(dns (domain adj name adj system)) and (database and (mib (management adj informaiotn adj base))) and (nam$4 same address$4 same (sav$4 stor$4) same (database table))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 10:38
-	144	map$5 adj7 address$4 adj7 nam$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 10:47
-	8	(map$5 adj7 address$4 adj7 nam$4) and (mib (management adj informaiotn adj base))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 10:47
-	37	(dns (domain adj name adj (server system))) and (configuration near4 table) and (sourc$4 near10 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 11:40
-	198	((mac (media adj access adj control)) near10 address$4) and ((((stor$4 sav$4) same (source near4 address$4))) same (table database))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 11:56
-	25	((mac (media adj access adj control)) near10 address$4) and ((((stor$4 sav$4) same (source near4 address$4))) same (table database)) and (database and (mib (management adj informaiotn adj base)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 13:03
-	5	((mac (media adj access adj control)) near10 address$4) and ((((stor$4 sav$4) same (source near4 address$4))) same (table database)) and (database and (mib (management adj informaiotn adj base))) and (address$4 near10 pool$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 13:37
-	20	((mac (media adj access adj control)) near10 address$4) and (database and (mib (management adj informaiotn adj base))) and ((source adj4 address$4) same (stor$4 sav$4) same table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 14:20
-	15	(dns (domain adj name adj (server system))) and (address$4 near10 pool$4) and (mib (management adj informaiotn adj base))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 16:19
-	178	(dns (domain adj name adj (server system))) and ((stor$4 adj6 forward) store-and-forward$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 16:20
-	17	(((((dns (domain adj name adj (server system))) and ((stor$4 adj6 forward) store-and-forward$4)) and (rout$4 near7 table)) and (rout$4 near6 table) and (group$4 same address$4) and (dns (domain adj name adj (server system)))) and ((rout$4 near10 table) same (stor$4 sav$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2002/10/03 16:22

C:\APPS\EAST\Workspaces\09511777.wsp

-	317	(address$4 near7 (portion$4 position$4 section$4)) and (first near6 (portion$4 position$4 section$4 part)) and (second near6 (portion$4 position$4 section$4 part)) and ((replac$4 substitu$6 exchang$5) near7 address$4 near7 (portion$4 position$4 section$4 part)) and ((sav$4 stor$4) near6 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 09:26
-	4	((address$4 near7 (portion$4 position$4 section$4)) and (first near6 (portion$4 position$4 section$4 part)) and (second near6 (portion$4 position$4 section$4 part)) and ((replac$4 substitu$6 exchang$5) near7 address$4 near7 ((first second) near5 (portion$4 position$4 section$4 part))) and ((sav$4 stor$4) near6 address$4)) and ((ip mac) near5 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 09:31
-	121	((address$4 near11 (portion$4 position$4 section$4)) and (first near8 (portion$4 position$4 section$4 part)) and (second near8 (portion$4 position$4 section$4 part)) and ((replac$4 substitu$6 exchang$5) near9 address$4)) and ((ip mac) near5 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 12:55
-	140	((left right first second) same (portion$4 position$4 section$4 part) same (replac$4 substitu$6 exchang$5 (in adj place)) same (ip mac address$4)) and ((ip mac) near5 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 13:21
-	432	address$4 and wildcard$4 and (replac$4 substitu$6 exchang$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 14:33
-	109	(address$4 near11 wildcard$4) and (replac$4 substitu$6 exchang$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 14:50
-	3	(address$4 near11 wildcard$4) same (replac$4 substitu$6 exchang$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 14:53
-	2	(address$4 near11 (wildcard$4 (wild adj card$4))) same (replac$4 substitu$6 exchang$5) and (wildcard$4 (wild adj card$4)) and ((ip mac) near5 address$4) and (rout$5 near11 (tabl$4 databas$4))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/02/21 15:42
-	3	(address$4 near11 (wildcard$4 (wild adj card$4))) same (replac$4 substitu$6 exchang$5) and (wildcard$4 (wild adj card$4)) and ((ip mac) near5 address$4) and (select$7 same (wildcard$4 (wild adj card$4)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 14:00
-	105	(address$4 near11 (wild-card$4 (wild$4 adj3 card$4) wildcard$4)) and (replac$4 substitu$6 exchang$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 14:05
-	21	((address$4 near11 (portion$4 position$4 section$4)) and (first near8 (portion$4 position$4 section$4 part)) and (second near8 (portion$4 position$4 section$4 part)) and ((replac$4 substitu$6 exchang$5) near9 address$4 near9 (portion$4 position$4 section$4 part)) and ((sav$4 stor$4) near8 address$4)) and ((ip mac) near5 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 14:27

-	49	(((dns (domain adj name adj (server system))) and ((stor$4 adj6 forward) store-and-forward$4)) and (rout$4 near7 table)) and (rout$4 near6 table) and (group$4 same address$4) and (dns (domain adj name adj (server system)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 14:28
-	6	((mac (media adj access adj control)) near10 address$4) and (database and (mib (management adj informaiotn adj base))) and (address$4 near10 pool$4) and ((stor$4 adj5 forward$4) same (table database))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:04
-	73	(address$4 near11 wildcard$4) and (replac$4 substitu$6 exchang$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:04
-	12	(address$4 near11 (wildcard$4 (wild adj card$4))) same (replac$4 substitu$6 exchang$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:04
-	3	(address$4 near11 (wildcard$4 (wild adj card$4))) same (replac$4 substitu$6 exchang$5) and (wildcard$4 (wild adj card$4)) and ((ip mac) near5 address$4) and ((stor$4 sav$4) near11 address$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:04
-	5	(address$4 near11 (wildcard$4 (wild adj card$4))) same (replac$4 substitu$6 exchang$5) and (wildcard$4 (wild adj card$4)) and ((ip mac) near5 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:04
-	69	((dns (domain adj name adj (server system))) and ((stor$4 adj6 forward) store-and-forward$4)) and (rout$4 near7 table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:05
-	29	((mac (media adj access adj control)) near10 address$4) and ((((stor$4 sav$4) same (source near4 address$4))) same (table database)) and (database and (mib (management adj informaiotn adj base)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:06
-	20	((mac (media adj access adj control)) near10 address$4) and (database and (mib (management adj informaiotn adj base))) and ((nam$4) same (stor$4 sav$4) same table)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:06
-	53	((left right first second) same (portion$4 position$4 section$4 part) same (replac$4 substitu$6 exchang$5 (in adj place)) near7 (ip mac address$4)) and ((ip mac) near5 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:08
-	44	((address$4 near11 (portion$4 position$4 section$4)) and (right near8 (portion$4 position$4 section$4 part)) and (left near8 (portion$4 position$4 section$4 part)) and ((replac$4 substitu$6 exchang$5) near9 address$4)) and ((ip mac) near5 address$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	2003/07/27 15:08